

32-bit MCU SDK 6.4.0.0 GA Gecko SDK Suite 4.2 December 14, 2022

The 32-bit MCU SDK provides sample applications for EFM32 and EZR32 development kits.

This document covers the following SDK versions:

6.4.0.0 released December 14, 2022

KEY FEATURES

• Added support for new OPNs

Compatibility and Use Notices

For information about security updates and notices, see the Security chapter of the Gecko Platform Release notes installed with this SDK or on the <u>Silicon Labs Release Notes page</u>. Silicon Labs also strongly recommends that you subscribe to Security Advisories for up-to-date information. For instructions, or if you are new to the 32-bit MCU SDK, see Using This Release.

Compatible Compilers:

This version of the 32-bit MCU SDK is compatible with the following tool chains.

- IAR Embedded Workbench for ARM (IAR-EWARM) version 9.20.40
- GCC (The GNU Compiler Collection) version 10.3-2021.10 (provided with Simplicity Studio)

Contents

| 1 | New | / Items | 2 |
|---|-------------------------------------|----------------------|---|
| 2 | Impr | rovements | 3 |
| 3 | Fixed Issues | | |
| 4 | Known Issues in the Current Release | | |
| 5 | Deprecated Items | | |
| 6 | Rem | noved Items | 7 |
| 7 | Usin | ig This Release | 8 |
| 7 | 7.1 | Security Information | 8 |
| 7 | 7.2 | Support | 9 |

1 New Items

New in release 6.4.0.0

Added support for the following new OPNs:

- BRD2200C
- BRD2201B
- BRD2400B
- BRD2102B

2 Improvements

3 Fixed Issues

4 Known Issues in the Current Release

5 Deprecated Items

6 Removed Items

7 Using This Release

The 32-bit MCU SDK v 64.x is installed as part of Gecko SDK (GSDK) 4.2.x, the suite of Silicon Labs SDKs. To quickly get started with the GSDK, install <u>Simplicity Studio 5</u>, which will set up your development environment and walk you through GSDK installation. Simplicity Studio 5 includes everything needed for IoT product development with Silicon Labs devices, including a resource and project launcher, software configuration tools, full IDE with GNU toolchain, and analysis tools. Installation instructions are provided in the online <u>Simplicity Studio 5 User's Guide</u>.

Alternatively, Gecko SDK may be installed manually by downloading or cloning the latest from GitHub. See <u>https://github.com/Sili-conLabs/gecko_sdk</u> for more information.

This release contains the following.

• EFM32 and EZR32 sample applications

This SDK depends on Gecko Platform. The Gecko Platform code provides functionality that supports protocol plugins and APIs in the form of drivers and other lower layer features that interact directly with Silicon Labs chips and modules. Gecko Platform components include EMLIB, EMDRV, RAIL Library, NVM3, and mbedTLS. Gecko Platform release notes are available through Simplicity Studio's Launcher Perspective.

The GSDK default install location has changed with Simplicity Studio 5.3.

- Windows: C:\Users\<NAME>\SimplicityStudio\SDKs\gecko_sdk
- MacOS: /Users/<NAME>/SimplicityStudio/SDKs/gecko_sdk

7.1 Security Information

I

Security Advisories

To subscribe to Security Advisories, log in to the Silicon Labs customer portal, then select **Account Home**. Click **HOME** to go to the portal home page and then click the **Manage Notifications** tile. Make sure that 'Software/Security Advisory Notices & Product Change Notices (PCNs)' is checked, and that you are subscribed at minimum for your platform and protocol. Click **Save** to save any changes.

| CASE SOFTWARE RELEASES Vipdate Preference WHAT EMAILS WOULD YOU LIKE TO RECEIVE? Newletters Community Monthly Newsletter Sales Newsletter Product Specific Notifications Product Specific Notifications Structure Security Advisory Notices & Product Change Notices (PCNs) • Technical Document Updates (Release Notes, Data Sheets, etc.) SELECT THE PRODUCTS TO RECEIVE UPDATES FOR • Select/Unselect All • Audio and Radio Power over Ethernet • Interface Sensors • Isolation I'V and Video Microcontrollers Wireless • Bulatooth Classic Wireless • Bultooth Closs Wri-Fi • Clocks Wri-Fi • Bulfers 21gBee and Thread • Oscillators 2-Wave | Search Within | n the Support Portal for Cases, etc | | SEARCH | CATHERIN |
|--|-------------------------------|-------------------------------------|----------------------|--------|----------|
| WHATEN WOULD YOU LIKE TO RECEIVE? Newsletters Solies Newsletter Product Specific Notifications Product Information and Newsletter Solies Notifications Product Information Notifications Product Solies Notifications Product Information Notifications Product Solies Notifications Product Information Notifications Product Information Notifications Product Solies Notifications Product Information Notifications Product Product Notifications Product Product Notifications Product Product Notifications Product Pro | IOME CASES SOFTWARE RELE | ASES | | | |
| Newsletters Community Monthly Newsletter Micro Controllers Interface Isolation Interface Selex Controllers Wireless Interface Solation Solation Interface Solatincot Solatincot | Update Preference | | | | |
| Community Monthly Newsletter Sales Newsletter Product Specific Notifications Product Information and Newsletter Select/Unselect All Audio and Radio Power over Ethernet Select/Unselect All Audio and Radio Power over Ethernet Select/Unselect All S | WHAT EMAILS WOULD YOU LIKE T | O RECEIVE? | | | |
| Sales Newsletter Micrium Newsletter Product Information and Newsletter Software/Security Advisory Notices & Product Change Notices (PCNs) Technical Document Updates (Release Notes, Data Sheets, etc.) SELECT THE PRODUCTS TO RECEIVE UPDATES FOR Select/Unselect All Audio and Radio Audio and Radio Interface Isolation TV and Video Modems and DAAs Voice Microcontrollers Shit MCUs Shit MCUs Shit MCUs Buterost Lucs Timing Proprietary Clocks Buffers Clocks Differs ZigBee and Thread | Newsletters | | | | |
| Micrium Newsletter Product Specific Notifications Product Information and Newsletter Software/Security Advisory Notices & Product Change Notices (PCNs) Technical Document Updates (Release Notes, Data Sheets, etc.) SELECT THE PRODUCTS TO RECEIVE UPDATES FOR Select/Unselect All Audio and Radio Power over Ethernet Interface Isolation Voice Microcontrollers Wireless 8-bit MCUs Solution Solution Iming Proprietary Clocks Buffers Discillators | | r | | | |
| Product Information and Newsletter Software Security Advisory Notices Protect Change Notices (PCNs) Technical Document Updates (Release Notes, bata Sheets, etc.) SELECT THE PRODUCTS TO RECEIVE UPDATES FOR Select/Unselect All Audio and Radio Power over Ethernet Interface Sensors Isolation TV and Video Modems and DAAs Voice Microcontrollers Nitro Sensors Bebit MCUs Bluetooth Classic Select Audio Bluetooth Classic Select Classic Proprietary Timing Proprietary Clocks Nitro Sensors Buffers ZigBee and Thread | | | | | |
| Product Information and Newsletter Software/Security AdVisory Notices & Product Change Notices (PCNs) Excent rule products to Receive UpDATES FOR SELECT THE PRODUCTS TO RECEIVE UPDATES SELECT THE PRODUCTS SELECT UPDATES SELECT THE PRODUCTS SELECT UPDATES SELECT UPDATES SELECT THE PRODUCTS SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SELECT UPDATES SEL | | | | | |
| | | etter | | | |
| SELECT THE PRODUCTS TO RECEIVE UPDATES FOR SELECT THE PRODUCTS TO RECEIVE UPDATES FOR Select/Unselect All Audio and Radio Power over Ethernet Sensors Sensor | | | | | |
| Select/Unselect All Audio and Radio Interface Isolation TV and Video Modems and DAAs Volce Microcontrollers Bluetooth Classic 32-bit MCUs Bluetooth Lossic Y32-bit MCUs Iming Y Proprietary Clocks Buffers Dstiffers Clocks Dstiffers Clocks Clocks <tr< td=""><td>Technical Document Updates (R</td><td>elease Notes, Data Sheets, etc.)</td><td></td><td></td><td></td></tr<> | Technical Document Updates (R | elease Notes, Data Sheets, etc.) | | | |
| Select/Unselect All Audio and Radio Interface Isolation TV and Video Modems and DAAs Volce Microcontrollers Bluetooth Classic 32-bit MCUs Bluetooth Lossic Y32-bit MCUs Iming Y Proprietary Clocks Buffers Dstiffers Clocks Dstiffers Clocks Clocks <tr< th=""><th></th><th></th><th></th><th></th><th></th></tr<> | | | | | |
| Audio and Radio Power over Ethernet Interface Sensors Isolation TV and Video Modems and DAAs Voice Microcontrollers Wireless 8-bit MCUs Bluetooth Classic 7 32-bit MCUs Bluetooth Lousenergy Timing ♀ Proprietary Clocks WirFi Buffers IzigBee and Thread Oscillators Z-Wave | | VE OPDATES FOR | | | |
| Interface Sensors Isolation TV and Video Modems and DAAs Voice Microcontrollers Wireless 8-bit MCUs Bluetooth Classic 32-bit MCUs Bluetooth Low Energy Timing Y Proprietary Clocks Wi-Fi Buffers ZigBee and Thread Oscillators Z-Wave | Select/Unselect All | | | | |
| Isolation TV and Video Modems and DAAs Voice Microcontrollers Wireless Biluetooth Classic Biluetooth Classic 22-bit MCUs Biluetooth Low Energy Timing Proprietary Clocks Wir-Fi Buffers ZigBee and Thread Oscillators Z-Wave | Audio and Radio | | Power over Ethernet | | |
| Moderns and DAAs Voice Microcontrollers Wireless B-bit MCUs Bluetooth Classic 32-bit MCUs Bluetooth Classic Timing Proprietary Clocks Wi-Fi Buffers ZigBee and Thread Oscillators Z-Wave | Interface | | Sensors | | |
| Microcontrollers Wireless B-bit MCUs Bluetooth Classic 32-bit MCUs Bluetooth LOw Energy Timing Proprietary Clocks Wi-Fi Buffers ZigBee and Thread Oscillators Z-Wave | Isolation | | TV and Video | | |
| Image: Constraint of the constr | Modems and DAAs | | Voice | | |
| Image: Section ACUs Image: Section ACUs Image: Timing Image: Proprietary Image: Clocks Image: Wi-Fi Image: Buffers Image: ZigBee and Thread Image: Operation Section Acus Image: ZigBee and Thread Image: Operation Acus Image: ZigBee and Thread Image: Operation Acus Image: ZigBee and Thread | Microcontrollers | | Wireless | | |
| Timing Image: Proprietary Clocks Image: Wi-Fi Buffers ZigBee and Thread Oscillators Image: Z-Wave | 8-bit MCUs | | Bluetooth Classic | | |
| Clocks Wi-Fi Buffers ZigBee and Thread Oscillators Z-Wave | ✓ 32-bit MCUs | | Bluetooth Low Energy | | |
| Buffers Image: ZigBee and Thread Oscillators Image: ZigBee and Thread | Timing | | Proprietary | | |
| Oscillators Z-Wave | Clocks | | 🗌 Wi-Fi | | |
| | Buffers | | ZigBee and Thread | | |
| CDR and PHY | Oscillators | | Z-Wave | | |
| | CDR and PHY | | | | |

7.2 Support

Development Kit customers are eligible for training and technical support. Use the Silicon Laboratories web site <u>www.silabs.com/prod-ucts/mcu/32-bit</u> to obtain information about all EFM32 Microcontroller products and services, and to sign up for product support.

You can contact Silicon Laboratories support at www.silabs.com/support

Simplicity Studio

One-click access to MCU and wireless tools, documentation, software, source code libraries & more. Available for Windows, Mac and Linux!



www.silabs.com/IoT



www.silabs.com/simplicity



www.silabs.com/quality



Support & Community www.silabs.com/community

Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice to the product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Without prior notification, Silicon Labs may update product firmware during the manufacturing process for security or reliability reasons. Such changes will not alter the specifications or the performance of the product. Silicon Labs shall have no liability for the consequences of use of the information supplied in this document. This document does not imply or expressly grant any license to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any FDA Class III devices, applications for which FDA premarket approval is required or Life Support Systems without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs product shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons. Silicon Labs disclaims all express and implied warranties and shall not be responsible or liable for any injuries or damages related to use of a Silicon Lab

Trademark Information

Silicon Laboratories Inc.[®], Silicon Laboratories[®], Silicon Labs[®], SiLabs[®] and the Silicon Labs logo[®], Bluegiga[®], Bluegiga Logo[®], EFM[®], EFM32[®], EFR, Ember[®], Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Redpine Signals[®], WiSeConnect, n-Link, ThreadArch[®], EZLink[®], EZRadio[®], EZRadio[®], Gecko[®], Gecko OS, Gecko OS Studio, Precision32[®], Simplicity Studio[®], Telegesis, the Telegesis Logo[®], USBXpress[®], Zentri, the Zentri logo and Zentri DMS, Z-Wave[®], and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. Wi-Fi is a registered trademark of the Wi-Fi Alliance. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc. 400 West Cesar Chavez Austin, TX 78701 USA

www.silabs.com