



EFR32 Mighty Gecko Radio Board
2.4 GHz 10 dBm, VDCDC to PAVDD

Board Function	Page
Title Page	1
RF, Antenna & Power	2
EFR32 Signal Assignments	3
WSTK Connectors & Board ID	4

LEGAL NOTICE:
SILICON LABORATORIES INC. ("SILICON LABS") AND/OR ITS LICENSORS DO NOT WARRANT THE ACCURACY OR COMPLETENESS OF THIS SCHEMATIC OR ANY INFORMATION CONTAINED WITHIN THIS SCHEMATIC. IT IS PROVIDED "AS-IS" FOR REFERENCE ONLY. SILICON LABS DOES NOT WARRANT THAT THIS DESIGN WILL MEET THE SPECIFICATIONS, BE SUITABLE FOR YOUR APPLICATION OR FIT FOR ANY PARTICULAR PURPOSE, OR WILL OPERATE IN YOUR IMPLEMENTATION. SILICON LABS AND ITS LICENSORS DO NOT WARRANT THAT THE DESIGN IMPLIED IN THIS SCHEMATIC IS PRODUCTION-WORTHY. YOU SHOULD COMPLETELY VALIDATE AND TEST YOUR DESIGN IMPLEMENTATION TO CONFIRM SYSTEM FUNCTIONALITY FOR YOUR APPLICATION.




Revision History	
Rev.	Description
A00	Initial version.
A01	Updated EFR32 chip revision and 32 kHz crystal part number.
A02	Fixing EFR32 pin names; Updated PCB revision.


<Schematic Path>
SCHEMATIC1

 SILICON LABS		Schematic Title	
		EFR32MG12 2.4 GHz Radio Board	
Designed: TAB	Approved: <OrgAddr2>	Page Title	
Size A3		Title Page	
BOM Doc No: <Cage Code>		Document number	Revision
Design Created Date: Monday, April 02, 2012		BRD4162A	A02
Sheet Created Date Monday, April 02, 2012		Sheet Modified Date Friday, January 20, 2017	Sheet 1 of 4

Antenna & Radio Interface




Power & Decoupling




PAVDD Configuration


	Power Config 1 VMCU to PAVDD	Power Config DCDC to PAVDD
R210	Mount	Not mount
R211	Not mount	Mount



Low Frequency Crystal



RF Shielding



<Schematic Path>
SCHEMATIC1



Designed: TAB	Approved: <OrgAddr2>
------------------	-------------------------

Size A3	BOM Doc No: <Cage Code>
------------	----------------------------

Design Created Date:
Monday, April 02, 2012

	Schematic Title
1	1.1
2	2.1
3	3.1
4	4.1
5	5.1
6	6.1
7	7.1
8	8.1
9	9.1
10	10.1
11	11.1
12	12.1
13	13.1
14	14.1
15	15.1
16	16.1
17	17.1
18	18.1
19	19.1
20	20.1
21	21.1
22	22.1
23	23.1
24	24.1
25	25.1
26	26.1
27	27.1
28	28.1
29	29.1
30	30.1
31	31.1
32	32.1
33	33.1
34	34.1
35	35.1
36	36.1
37	37.1
38	38.1
39	39.1
40	40.1
41	41.1
42	42.1
43	43.1
44	44.1
45	45.1
46	46.1
47	47.1
48	48.1
49	49.1
50	50.1
51	51.1
52	52.1
53	53.1
54	54.1
55	55.1
56	56.1
57	57.1
58	58.1
59	59.1
60	60.1
61	61.1
62	62.1
63	63.1
64	64.1
65	65.1
66	66.1
67	67.1
68	68.1
69	69.1
70	70.1
71	71.1
72	72.1
73	73.1
74	74.1
75	75.1
76	76.1
77	77.1
78	78.1
79	79.1
80	80.1
81	81.1
82	82.1
83	83.1
84	84.1
85	85.1
86	86.1
87	87.1
88	88.1
89	89.1
90	90.1
91	91.1
92	92.1
93	93.1
94	94.1
95	95.1
96	96.1
97	97.1
98	98.1
99	99.1
100	100.1

EFR32MG12 2.4 GHz Radio Board

Page Title

RF, Antenna & Power

Document number
BRD4162A

Sheet Created Date	Monday, April 02, 2012
--------------------	------------------------


Revision
A02

Sheet Modified Date	Friday, January 20, 2017
---------------------	--------------------------


Revision
A02

Sheet
2 of 4


EFR32 Pin Mapping



EFR32 I/O Port Pins




Serial Flash




<Schematic Path> SCHEMATIC1

		Schematic Title	
		EFR32MG12 2.4 GHz Radio Board	
Designed: TAB Size: A3 Design Created Date: Monday, April 02, 2012		Page Title	
		EFR32 I/O Port Connections	
Approved: <OrgAddr2> BOM Doc No: <Cage Code> Sheet Created Date: Wednesday, April 11, 2012		Document number BRD4162A Sheet Modified Date: Friday, January 20, 2017	
Revision		Sheet	
A02		3 of 4	


WSTK Connectors




WSTK Power Decoupling



Board Identification



Test Points



<Schematic Path>
SCHEMATIC1

		Schematic Title	
		EFR32MG12 2.4 GHz Radio Board	
Designed:		Page Title	
TAB		WSTK Connectors & Board ID	
Size		Document number	
A3		BRD4162A	
Design Created Date:		Sheet Created Date	Revision
Monday, April 02, 2012		Tuesday, April 03, 2012	A02
		Sheet Modified Date	Sheet
		Friday, January 20, 2017	4 of 4