EFR32 Flex Gecko Dual Band Radio Board

2.4 GHz / 915 MHz 19.5 dBm, VMCU to PAVDD

Board Function	Page
Title Page	1
RF, Antenna & Power	2
EFR32 Signal Assignments	3
WSTK Connectors & Board ID	4

Revision History

Rev.	Description
B00	Initial release.
B01	SubGHz PA supplied from filtered PAVDD.

LEGAL NOTICE:
SILICON LABORATORIES INC. ("SILICON LABS") AND/OR ITS LICENSORS DO NOT WARRANT THE ACCURACY OR COMPLETENESS OF THIS SCHEMATIC OR ANY INFORMATION CONTAINED WITHIN THIS SCHEMATIC. IT IS PROVIDED "AS-IS" FOR REFERENCE ONLY. SILICON LABS DOES NOT WARRANT THAT THIS DESIGN WILL MEET THE SPECIFICATIONS, BE SUITABLE FOR YOUR APPLICATION OR FIT FOR ANY PARTICULAR PURPOSE, OR WILL OPERATE IN YOUR IMPLEMENTATION. SILICON LABS AND ITS LICENSORS DO NOT WARRANT THAT THE DESIGN IMPLIED IN THIS SCHEMATIC IS PRODUCTION-WORTHY. YOU SHOULD COMPLETELY VALIDATE AND TEST YOUR DESIGN IMPLEMENTATION TO CONFIRM SYSTEM FUNCTIONALITY FOR YOUR APPLICATION.

PCB1

PCB4250A

<Schematic Path>
SCHEMATIC1

Designed: JSH	Approved: JNO
Size: A3	BOM Doc No: <Cage Code>
Design Created Date: Monday, April 02, 2012	
Schematic Title: EFR32FG Dual Band 2400/915 MHz Radio Bo	
Page Title: Title Page	
Document number: BRD4250A	Revision: B01
Sheet Created Date: Monday, April 02, 2012	Sheet Modified Date: Tuesday, April 19, 2016
Sheet: 1 of 4	

COPYRIGHT SILICON LABORATORIES INC. 2020 CONFIDENTIAL - SUBJECT TO TERMS OF USE

Antenna & Radio Interface



Power & Decoupling



PAVDD Configuration

	Power Config 1 VMCU to PAVDD	Power Config 2 DCDC to PAVDD
R210	Mount	Not mount
R211	Not mount	Mount



Low Frequency Crystal



RF Shielding



<Schematic Path>
SCHEMATIC1

SILICON LABS

Schematic Title	EFR32FG Dual Band 2400/915 MHz Radio Boa
Page Title	RF, Antenna & Power
Designed: JSH	Approved: JNO
Size A3	BOM Doc No: <Cage Code>
Document number	BRD4250A
Revision	B01
Design Created Date: Monday, April 02, 2012	Sheet Created Date: Monday, April 02, 2012
Sheet Modified Date	Tuesday, April 19, 2016
Sheet	2 of 4

COPYRIGHT SILICON LABORATORIES INC. 2020 CONFIDENTIAL - SUBJECT TO TERMS OF USE

EFR32 Pin Mapping



EFR32 I/O Port Pins



Serial Flash



<Schematic Path>
SCHEMATIC1

SILICON LABS

Designed: JSH	Approved: JNO
Size A3	BOM Doc No: <Cage Code>
Design Created Date: Monday, April 02, 2012	

Schematic Title: **EFR32FG Dual Band 2400/915 MHz Radio Boa**

Page Title: **EFR32 I/O Port Connections**

Document number: BRD4250A		Revision: B01
Sheet Created Date: Wednesday, April 11, 2012	Sheet Modified Date: Tuesday, April 19, 2016	Sheet 3 of 4

COPYRIGHT SILICON LABORATORIES INC. 2020 CONFIDENTIAL - SUBJECT TO TERMS OF USE

WSTK Connectors



WSTK Power Decoupling



Board Identification



Test Points



<Schematic Path>
SCHEMATIC1

SILICON LABS	Schematic Title: EFR32FG Dual Band 2400/915 MHz Radio Boa	
	Page Title: WSTK Connectors & Board ID	
Designed: JSH / Approved: JNO	Document number: BRD4250A	Revision: B01
Size: A3 / BOM Doc No: <Cage Code>		
Design Created Date: Monday, April 02, 2012	Sheet Created Date: Tuesday, April 03, 2012 / Sheet Modified Date: Tuesday, April 19, 2016	Sheet: 4 of 4

COPYRIGHT SILICON LABORATORIES INC. 2020 CONFIDENTIAL - SUBJECT TO TERMS OF USE